
EB-2250U

DATASHEET / BROCHURE





Our super-bright new business projector offers an outstanding brightness 5,000 lumens and full HD resolution. The EB-2250U is designed to project a scalable image size of up to a 300 inches, and offers connectivity options such as dual HDMI and optional Wi-Fi.

Outstanding quality display of up to 300 inches

Full HD resolution combined with Epson's 3LCD technology ensures high-quality content has more vivid colours and brighter images. HDMI connectivity guarantees sharper and clearer presentations delivered on a scalable image size of up to 300 inches.

Simple setup and connectivity

The EB-2250U offers a wide range of connectivity options, including screen mirroring, wireless LAN (optional) and two HDMI inputs. Setup is easy too, thanks to features including auto-power-on, focus help, keystone correction and screen fit - delivering presentations quickly and efficiently.

Keep costs down

Project for longer with improved reliability and a longer lamp life of up to 10,000 hours in eco mode.

Home screen

The home screen offers quick and easy access to a variety of useful functions, such as connection sources. Wireless connections can also be made easily using the information on screen.

Gesture Presenter

Change slides by simply moving your hand, making even smarter presentations a reality by liberating the user from their remote control or mouse.

Value-added flexibility

The Multi-PC projection software bundled with the EB-2250U makes it possible to connect up to 50 computers and partition the screen for split screen projection capability - offering far better cost-effectiveness and flexibility than a flat-panel display.

KEY FEATURES

- Up to 300-inch display and great quality
- Full HD resolution with Epson's 3LCD technology
- Bring presentations to life Outstanding 5,000-lumen brightness
- Versatile connectivity options Including dual HDMI and optional wireless connectivity
- Flexible interaction Split-screen and multi-PC projection
 Gesture Presenter
- Intuitively use gestures to control the projector



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

3LCD Technology, RGB liquid crystal shutter
0.76 inch with D10
5,000 lumen- 3,800 lumen (economy) in accordance with IDMS15.4
5,000 lumen - 3,800 lumen (economy) in accordance with ISO 21118:2012
WUXGA, 1920 x 1200, 16:10
15,000 : 1
300 W, 5,000 h durability, 10,000 h durability (economy mode)
Auto vertical: ± 30 °, Auto horizontal ± 20 °
upto 1.07 billion colours
1.38 - 2.28:1
Manual, Factor: 1 - 1.6
50 inches - 300 inches
1.5 m (50 inch screen)
9 m (300 inch screen)
1.5 - 2
23 mm - 38.4 mm
Manual
10:1
3 in 1: Image / Mouse / Sound
USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), VGA
in (2x), VGA out, HDMI in (2x), Composite in, RGB in (2x), RGB out, MHL, Stereo mini jack
audio out, Stereo mini jack audio in (2x), Wireless LAN b/g/n (2.4GHz) (optional), Wireless LAN
IEEE 802.11a/b/g/n/ac (WiFi 5) (optional)
Ad-Hoc / Infrastructure
Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless
LAN unit lock, Wireless LAN security, Password protection
AV mute slide, Auto Power On, Automatic input selection, Automatic keystone correction, CEC
compatible, Direct Power on/off, Document Camera Compatible, Screen Fit, Freeze image,
Gesture Presenter, Home Screen, JPEG Viewer, Long lamp life, MHL audio/video interface,
Network administration, OSD copy function, PC Free, iProjection App for Chromebook, Quick
Corner, Slide show, Split-Screen-Function, iProjection App
Corner, Slide Show, Split-Screen-Function, iFrojection App
Blackboard, Dynamic, Photo, Presentation, sRGB, DICOM SIM

EB-2250U

WHAT'S IN THE BOX

- VGA cable
- Power cable
- Remote control incl. batteries
- Software (CD)
- User Manual (CD-ROM)
- Warranty card
- Main unit



OPTIONAL ACCESSORIES

- Air Filter ELPAF41 V13H134A41
- Wireless LAN Adapter ELPAP10 V12H731P01
- Soft Carry Case ELPKS68 V12H001K68
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- ELPLP95 V13H010L95
- Control and Connection Box ELPCB02 V12H614040
- Control and Connection Box ELPCB03 V12H927040

LOGISTICS INFORMATION

SKU	V11H871040 V11H871041
EAN code	8715946628646
Country of Origin	China
Layer	4 Units





* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min) Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. - iProjection App available on Android and iOS devices



Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.