


# EB-X39



## DATASHEET / BROCHURE



Combines the versatility to be positioned just about anywhere with excellent brightness and sharpness, plus low-maintenance performance.

Presentations become effortless, with the sharp, stylish EB-X39, which offers great performance in remarkably versatile package. Long lamp life and trusted Epson durability offer peace of mind and minimal maintenance.

### Bright, vivid content on a large scalable screen

Enjoy large scale presentations with crisp, clear text, as well as compelling imagery and video content, on screen sizes up to 300 inches. 3,500-lumen performance combines with a high contrast ratio of 15,000:1 to offer outstanding visual performance, even in well-lit rooms.

### Years of uninterrupted meetings

With a lamp life and air filter maintenance cycle of 12,000 hours in eco mode, users won't need to worry about maintenance for more than 5 years<sup>1</sup>.

### Installation and placement flexibility

Automatic vertical and manual horizontal keystone correction provide greater flexibility as to where the projector can be placed in the room for distortion-free images and the wide optical zoom adds to the flexibility.

### Network and Wi-Fi capability

Wi-Fi compatibility and network capability (via RJ45) mean the EB-X39 can be added to a company network or upgraded for wireless device access at a later stage (optional accessory required).

### High-quality sound

This projector has a built-in 5W speaker to allow audio content to be heard clearly, without the need for additional external speakers.

## KEY FEATURES

- **High-quality bright images**  
3LCD technology and equally high white and colour light output
- **Portable**  
Small and light enough to be carried and used across several rooms
- **Wide connectivity options**  
Network-enabled and Wi-Fi capable (optional accessory required)
- **Low TCO**  
Lamp and filter life of 12,000 hours in eco mode
- **Versatile and flexible control**  
Project from many sources with HDMI and optional Wi-Fi connectivity



## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0.55 inch with MLA (D10)

### IMAGE

Colour Light Output	3,500 lumen- 2,230 lumen (economy)
White Light Output	3,500 lumen - 2,230 lumen (economy) in accordance with ISO 21118:2012
Resolution	XGA, 1024 x 768, 4:3
Aspect Ratio	4:3
Contrast Ratio	15,000 : 1
Light source	Lamp
Lamp	UHE, 210 W, 6,000 h durability, 12,000 h durability (economy mode)
Keystone Correction	Auto vertical: $\pm 30^\circ$ , Manual horizontal $\pm 30^\circ$
Colour Processing	10 Bits
2D Vertical Refresh Rate	50 Hz - 85 Hz
Colour Reproduction	upto 1.07 billion colours

### OPTICAL

Projection Ratio	1.48 - 1.77:1
Zoom	Manual, Factor: 1.2
Lens	Optical
Image Size	30 inches - 300 inches
Projection Distance Wide/Tele	1.8 m - 2.17 m ( 60 inch screen)
Projection Lens F Number	1.58 - 1.72
Focal Distance	16.9 mm - 20.28 mm
Focus	Manual
Offset	8 : 1

### CONNECTIVITY

USB Display Function	3 in 1: Image / Mouse / Sound
Interfaces	USB 2.0 Type A, USB 2.0 Type B, RS-232C, Wireless LAN IEEE 802.11b/g/n (WiFi 4) (optional), VGA in (2x), VGA out, HDMI in, Composite in, Component in (2x), RGB in (2x), Stereo mini jack audio out, Stereo mini jack audio in (2x), Ethernet interface (100 Base-TX / 10 Base-T)
Epson iProjection App	Ad-Hoc / Infrastructure

### ADVANCED FEATURES

Security	Kensington lock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard
Features	AV mute slide, Automatic keystone correction, Built-in speaker, Direct Power on/off, Document Camera Compatible, Easy OSD pre-setting, Horizontal and vertical keystone correction, Network projection, OSD copy function, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection set-up by QR code
Video Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB
Projector control	via: AMX, Crestron, Control4, Extron

## EB-X39

### WHAT'S IN THE BOX

- VGA cable
- Main unit
- Power cable
- Remote control incl. batteries



**EPSON**  
**WORLD LEADER**  
**IN PROJECTORS**

Source: Futuresource Consulting Ltd.

**EPSON®**  
**EXCEED YOUR VISION**

PRODUCT SPECIFICATIONS

<strong>GENERAL</strong>	
Energy Use	309 W, 227 W (economy), 0.2 W (standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	302 x 249 x 92 mm (Width x Depth x Height)
Product weight	2.7 kg
Noise Level	Normal: 37 dB (A) - Economy: 28 dB (A)
Temperature	Operation 5° C - 35° C, Storage -10° C - 60° C
Humidity	Operation 20% - 80%, Storage 10% - 90%
	If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could break and cause the projector to drop from the ceiling.
	If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional assistance.
Included Software	Epson Projector Management Software, EasyMP Multi PC Projection, EasyMP Network Projection
Options	Document camera, Soft carry case, Wireless LAN unit
Loudspeaker	5 W
Room Type / Application	Boardroom, Portable / Huddle space, Collaboration space / Classroom
Positioning	Ceiling Mounted, Desktop
Colour	White / Grey
TCO Certified	Yes
<strong>OTHER</strong>	
Warranty	36 months Carry in, Lamp: 36 months or 1,000 h Optional warranty extension available

EB-X39

WHAT'S IN THE BOX

- VGA cable
- Main unit
- Power cable
- Remote control incl. batteries

## OPTIONAL ACCESSORIES

- Wireless LAN Adapter - ELPAP10  
V12H731P01
- Soft Carry Case - ELPKS70  
V12H001K70
- ELPLP96  
V13H010L96
- Air Filter - ELPAF32  
V13H134A32
- Active Speakers (2 x 15W) - ELPSP02  
V12H467040DA
- Active Speakers (2 x 15W) - ELPSP02  
V12H467040
- Ceiling Pipe (700mm) - ELPFP14  
V12H003P14
- Ceiling Pipe (450mm) - ELPFP13  
V12H003P13
- Ceiling Mount (White) - ELPMB23  
V12H003B23

EB-X39

## LOGISTICS INFORMATION

SKU	V11H855040 V11H855041
EAN code	8715946642567
Country of Origin	Philippines
Layer	6 Units



**3LCD**



\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit [www.epson-europe.com](http://www.epson-europe.com)

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Based on eight hours of use per day, five days a week.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.

**EPSON®**